



SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Linger a Little Longer

Version: 1

Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

Product identifier: Linger a Little Longer (Contains: 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone, 6,7-Dihydro-1,1,2,3,3-pentamethyl-4(5H)-indanone, Coumarin, Formaldehyde cyclododecyl ethyl acetal)

Other identifiers: F97951

1.2 Relevant identified uses of the substance of mixture and uses advised against

Product uses: Fragrances

1.3 Details of the supplier of the safety data sheet

Company name: Creators Journey Inc

Company address: 561 St. Lawrence Street Winchester, Ontario K0C 2K0 Canada

Contact: Creators Journey Inc

E-Mail address: info@creatorsjourney.ca

Company phone: 613-371-6438

1.4 Emergency telephone number

Emergency phone: North America 800-424-9300 / International 703-527-3887

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Class and category of danger: Skin Corrosion / Irritation Category 2
Eye Damage / Irritation Category 2
Sensitization - Skin Category 1
Hazardous to the Aquatic Environment - Acute Hazard Category 2
Hazardous to the Aquatic Environment - Long-term Hazard Category 1
H315, Causes skin irritation.
H319, Causes serious eye irritation.
H317, May cause an allergic skin reaction.
H401, Toxic to aquatic life.
H410, Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Signal word: Warning

Hazard statements: H315, Causes skin irritation.
H319, Causes serious eye irritation.
H317, May cause an allergic skin reaction.
H401, Toxic to aquatic life.
H410, Very toxic to aquatic life with long lasting effects.



SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Linger a Little Longer

Version: 1

Precautionary statements:

P264, Wash hands and other contacted skin thoroughly after handling.
P273, Avoid release to the environment.
P280, Wear protective gloves/eye protection/face protection.
P261, Avoid breathing vapour or dust.
P272, Contaminated work clothing should not be allowed out of the workplace.
P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P302/352, IF ON SKIN: Wash with plenty of soap and water.
P337/313, If eye irritation persists: Get medical advice/attention.
P333/313, If skin irritation or rash occurs: Get medical advice/attention.
P362, Take off contaminated clothing and wash before reuse.
P391, Collect spillage.
P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.

Pictograms:



2.3 Other hazards

Other hazards:

Hydrocarbon Concentration %: 0.0000%

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 17/1207/2006, Annex XIII.

Section 3. Composition / information on ingredients

3.2 Mixtures

Contains:

Name	& \$ 6		* + 6 & O D V V L I L F D W L R Q
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone	54464-57-2	20-<50%	Skin Irrit. 2-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 1;H315-H317-H401-H410
Methyl dihydrojasmonate	24851-98-7	10-<20%	Aquatic Acute 2;H401
1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta-gamma-2-benzopyran	1222-05-5	10-<20%	Skin Irrit. 3-Aquatic Acute 1-Aquatic Chronic 1;H316-H410
Vanillin	121-33-5	5-<10%	Acute Tox. 5-Acute Tox. 5-Eye Irrit. 2A-Aquatic Acute 3;H303-H313-H319-H402
Ethylene brassylate	105-95-3	5-<10%	Aquatic Acute 2-Aquatic Chronic 3;H401-H412
6,7-Dihydro-1,1,2,3,3-pentamethyl-4(5H)-indanone	33704-61-9	1-<5%	Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 2;H303-H315-H319-H317-H411



SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Linger a Little Longer

Version: 1

Coumarin			\$FXWH 7R[6NLQ 6HQV % \$TXDWLF \$FXWH + +	
7HWUDK\GUR KH[DPHWK\O QDSKWK\O HWKDQ RQH)L[ROLG			\$FXWH 7R[\$TXDWLF \$FXWH \$TXDWLF &KURQ +	
'LPHWK\O F\FORKH[\O HWKR[\ PHWK\O SURS\O SURSDQRDWH			\$TXDWLF \$FXWH \$TXDWLF &KURQLF +	
(WK\O YDQLOOLQ			(\H ,UULW % \$TXDWLF \$FXWH + +	
&HGUR PHWK\O HWKHU			6NLQ 6HQV % \$TXDWLF \$FXWH \$TXDWLF &KURQ + +	
)RUPDOGHK\GH F\FORGRGHF\O HWK\O DFHWDO			6NLQ ,UULW 6NLQ 6HQV % \$TXDWLF \$FXWH &KURQLF + + +	
/LQDO\O DFHWDWH			)ODP /LT 6NLQ ,UULW (\H ,UULW % 6NLQ \$TXDWLF \$FXWH + + + +	
(WK\O PDOWRO			\$FXWH 7R[\$TXDWLF \$FXWH + +	
OHWK\O DWUDUDWH			6NLQ 6HQV % \$TXDWLF \$FXWH + +	
G /LPRQHQH			)ODP /LT 6NLQ ,UULW 6NLQ 6HQV % \$VS \$TXDWLF \$FXWH \$TXDWLF &KURQLF + +	
OHWK\OF\FORSHQWDGHHFHRQH			6NLQ 6HQV % \$TXDWLF \$FXWH \$TXDWLF &KURQ + + +	
S \$QLV\O DFHWDWH			6NLQ 6HQV % \$TXDWLF \$FXWH + +	
R (WK\OSKHQ\O GLPHWK\OSURSLRQDOGHK\GH			6NLQ ,UULW 6NLQ 6HQV % \$TXDWLF \$FXWH &KURQLF + + + +	
&LQQDPDOGHK\GH			\$FXWH 7R[\$FXWH 7R[6NLQ ,UULW (\H ,U 6HQV \$ \$TXDWLF \$FXWH \$TXDWLF &KURQLF + + + + + +	
D 2FWDK\GUR WULPHWK\O QDSKWKDOHQRO			6NLQ ,UULW (\H 'DP 6NLQ 6HQV % \$TXDWLF \$TXDWLF &KURQLF + + +	
&LQQDP\O DOFRKRO			\$FXWH 7R[6NLQ ,UULW 6NLQ 6HQV % \$TXDWLF + + + +	
7ULPHWK\OF\FORKH[D GLHQ\O EXWHQ RQH			\$FXWH 7R[6NLQ ,UULW 6NLQ 6HQV \$ \$TXDWLF \$TXDWLF &KURQLF + + +	

Substances with workplace exposure limits, not listed above:

Not Applicable

Section 4. First-aid measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

Eye exposure: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Skin exposure: IF ON SKIN: Wash with plenty of soap and water.

Ingestion: Rinse mouth with water and obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Causes skin irritation.

Causes serious eye irritation.



SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Linger a Little Longer

Version: 1

May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

Section 5: Firefighting measures

5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

6.4 Reference to other sections:

Also refer to sections 8 and 13.

Section 7. Handling and storage

7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation. Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.



SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Linger a Little Longer

Version: 1

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits: Not Applicable

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. c) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance:	Free flowing liquid without sediment
Odour:	Characteristic
Odour threshold:	Not determined
Melting point / freezing point:	Not determined
Boiling point or initial boiling point and boiling range:	Not determined
Flammability:	Not determined
Lower and upper explosion limit:	Not determined
Flash point:	> 93 °C
Auto-ignition temperature:	Not determined
Decomposition temperature:	Not relevant
pH:	Not determined
Kinematic viscosity:	Not determined
Solubility:	Not determined
Partition coefficient: n-octanol/water (log value):	Not determined
Vapour pressure:	Not determined
Density and/or relative density:	-0.0150 - 0.0150
Relative vapour density:	Not determined
Particle characteristics:	Not determined



SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Linger a Little Longer

Version: 1

9.2 Other information:

Flash Point (Fahrenheit): > 200 °F
Refractive Index @ 20C: -0.0050 - 0.0050

Section 10. Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

Good stability under normal storage conditions.

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

Section 11. Toxicological information

11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in UN GHS.

Acute Toxicity:	Based on available data the classification criteria are not met.
Acute Toxicity Oral	>5000
Acute Toxicity Dermal	>5000
Acute Toxicity Inhalation	Not Available
Skin corrosion/irritation:	Skin Corrosion / Irritation Category 2
Serious eye damage/irritation:	Eye Damage / Irritation Category 2
Respiratory or skin sensitisation:	Sensitization - Skin Category 1
Germ cell mutagenicity:	Based on available data the classification criteria are not met.
Carcinogenicity:	Based on available data the classification criteria are not met.
Reproductive toxicity:	Based on available data the classification criteria are not met.
STOT-single exposure:	Based on available data the classification criteria are not met.
STOT-repeated exposure:	Based on available data the classification criteria are not met.
Aspiration hazard:	Based on available data the classification criteria are not met.



SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Linger a Little Longer

Version: 1

Information about hazardous ingredients in the mixture

Ingredient	& \$ 6	/ ' \$ 7 (2 U D O P J	/ ' \$ 7 (' H U P D O P	/ & \$ 7 (, Q K D O D V	/ & 5 R X W H
1-(5,6,7,8-Tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one (Fixolid)	1506-02-1	920			
6,7-Dihydro-1,1,2,3,3-pentamethyl-4(5H)-indanone	33704-61-9	2901			
Coumarin	91-64-5	500			
Ethyl maltol	4940-11-8	1200			
Vanillin	121-33-5	3300	2600		

Refer to Sections 2 and 3 for additional information.

Section 12. Ecological information

12.1 Toxicity:

Very toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability: Not available

12.3 Bioaccumulative potential: Not available

12.4 Mobility in soil: Not available

12.5 Other adverse effects: Not available

Section 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14. Transport information

	8 1 Q X P E H U	8 1 3 U R S H U 6 K L S S L Q J	1 D P H 7 U D Q V S R U W K D J D U G F O D V V H V	6 X E 5 L V N	3 D F N L Q J * U R X S
8 1 0 R G H O 5 H J X O D W L	UN3082 R Q V	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone, 1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta-gamma-2-	9	-	III



SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Linger a Little Longer**Version:** 1

		benzopyran)			
IMDG	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone, 1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta-gamma-2-benzopyran) MARINE POLLUTANT	9	-	III
ADR,RID,ADN	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone, 1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta-gamma-2-benzopyran)	9	-	III
ICAO TI	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone, 1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta-gamma-2-benzopyran)	9	-	III

14.5 Environmental hazards: This is classified as an environmentally hazardous substance under the UN Model Regulations. This is classified as a Marine Pollutant under the IMDG Code.

14.6 Special precautions for user: None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:
Not applicable

Section 15. Regulatory information

Essential Oil Components:

Name	CAS	%
Orange essence oil	8028-48-6, 68514-75-0	0.1-<1%

Components listed on California's Proposition 65:

Name	CAS	%
Myrcene	123-35-3	<0.1%

Naturally-Occuring Materials exempt from Prop65:

Name	CAS	%
Myrcene	123-35-3	

Components listed on California's SB312



SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Linger a Little Longer

Version: 1

Name	& \$ 6	
Coumarin	91-64-5	1-<5%
Cinnamaldehyde	104-55-2	0.1-<1%
Cinnamyl alcohol	104-54-1	0.1-<1%
alpha-iso-Methylionone	127-51-5	<0.1%
Eugenol	97-53-0	<0.1%

Additional formulation properties

Name	CAS	%
Vanillin	121-33-5	5-<10%
Ethyl vanillin	121-32-4	1-<5%

Section 16. Other information

Concentration % Limits:

SCI 2=28.85% SCI 3=2.70% EDI 2A=77.76% SS 1=3.49% EH A2=10.82%
EH A3=1.08% EH C1=56.15% EH C2=5.54% EH C3=0.55325157% EH
C4=44.63%

Total Fractional Values:

SCI 2=3.47 SCI 3=36.99 EDI 2A=1.29 SS 1=28.62 EH A2=9.25 EH A3=92.
89 EH C1=1.78 EH C2=18.05 EH C3=180.75 EH C4=2.24

Key to revisions:

Not applicable

Key to abbreviations:

Abbreviation	Meaning
Acute Tox. 4	Acute Toxicity - Oral Category 4
Acute Tox. 4	Acute Toxicity - Dermal Category 4
Acute Tox. 4	Acute Toxicity - Inhalation Category 4
Acute Tox. 5	Acute Toxicity - Oral Category 5
Acute Tox. 5	Acute Toxicity - Dermal Category 5
Aquatic Acute 1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
Aquatic Acute 2	Hazardous to the Aquatic Environment - Acute Hazard Category 2
Aquatic Acute 3	Hazardous to the Aquatic Environment - Acute Hazard Category 3
Aquatic Chronic 1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
Aquatic Chronic 2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
Aquatic Chronic 3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3
Asp. Tox 1	Aspiration Hazard Category 1
Eye Dam. 1	Eye Damage / Irritation Category 1
Eye Irrit. 2A	Eye Damage / Irritation Category 2A
Eye Irrit. 2B	Eye Damage / Irritation Category 2B
Flam. Liq. 3	Flammable Liquid, Hazard Category 3
Flam. Liq. 4	Flammable Liquid, Hazard Category 4



SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Linger a Little Longer

Version: 1

H226	)ODPPDEOH OLTXLG DQG YDSRXU
+	&RPEXVWLEOH OLTXLG
+	+DUPIXO LI VZDOORZHG
+	0D\ EH KDUPIXO LI VZDOORZHG
+	0D\ EH IDWDO LI VZDOORZHG DQG HQWHUV DLUZD\
+	+DUPIXO LQ FRQWDFW ZLWK VNLQ
+	0D\ EH KDUPIXO LQ FRQWDFW ZLWK VNLQ
+	&DXVHV VNLQ LUULWDWLRQ
+	&DXVHV PLOG VNLQ LUULWDWLRQ
+	0D\ FDXVH DQ DOOHUJLF VNLQ UHDFWLRQ
+	&DXVHV VHULRXV H\H GDPDJH
+	&DXVHV VHULRXV H\H LUULWDWLRQ
+	&DXVHV H\H LUULWDWLRQ
+	+DUPIXO LI LQKDOHG
+	9HU\ WR[LF WR DTXDWLF OLIH
+	7R[LF WR DTXDWLF OLIH
+	+DUPIXO WR DTXDWLF OLIH
+	9HU\ WR[LF WR DTXDWLF OLIH ZLWK ORQJ ODVWLQJ HIIHFWV
+	7R[LF WR DTXDWLF OLIH ZLWK ORQJ ODVWLQJ HIIHFWV
+	+DUPIXO WR DTXDWLF OLIH ZLWK ORQJ ODVWLQJ HIIHFWV
3	.HHS DZD\ IURP KHDW VSDUNV RSHQ IODPHV DQG KRW VXUIDFHV
3	.HHS FRQWDLQHU WLJKWO\ FORVHG
3	*URXQG ERQG FRQWDLQHU DQG UHFHLYLQJ HTXLSPHQW
3	8VH H[SORVLRQ SURRI HOHFWULFDO YHQWLODWLQJ DQG OLJKWLQJ
3	8VH RQO\ QRQ VSDUNLQJ WRROV
3	7DNH SUHFDXWLRQDU\ PHDVXUHV DJDLQVW VWDWLF GLVFKDUJH
3	\$YRLG EUHDWKLQJ YDSRXU RU GXVW
3	:DVK KDQGV DQG RWKHU FRQWDFWHG VNLQ WKRURXJKO\ DIWHU KDQ
3	'R QRW HDW GULQN RU VPRNH ZKHQ XVLQJ WKLV SURGXFW
3	8VH RQO\ RXWGRRUV RU LQ D ZHOO YHQWLODWHG DUHD
3	&RQWDLQDWHG ZRUN FORWKLQJ VKRXOG QRW EH DOORZHG RXW RI
3	\$YRLG UHOHDVH WR WKH HQYLURQPHQW
3	:H DU SURWHFWLYH JORYHV H\H SURWHFWLRQ IDFH SURWHFWLRQ
3	,) 6:\$/2:(' ,PPHGLDWHO\ FDOO D 32,621 &(17(5 RU GRFWRU SK\VLFLDQ
3	,) 6:\$/2:(' FDOO D 32,621 &(17(5 RU GRFWRU SK\VLFLDQ LI \RX IHHO
3	,) 21 6.,1 :DVK ZLWK SOHQW\ RI VRDS DQG ZDWHU
3	,) 21 6.,1 RU KDLU 5HPRYH WDNH RII LPPHGLDWHO\ DOO FRQWDLQ
3	,) ,1+\$/(' 5HPRYH YLFWLP WR IUHVK DLU DQG NHHS DW UHVV LQ D S
3	,) ,1 (<6 5LQVH FDXWLRXVO\ ZLWK ZDWHU IRU VHYHUDO PLQXWHV GR &RQLQXH ULQVLQJ
3	,PPHGLDWHO\ FDOO D 32,621 &(17(5 RU GRFWRU SK\VLFLDQ



SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Linger a Little Longer

Version: 1

P312	&DOO D 32,621 &(175(RU GRFWRU SK\VLFLDQ LI \RX IHHO XQZHOO
3	5LQVH PRXWK
3	'R QRW LQGXFH YRPLWLQJ
3	,I VNLQ LUULWDWLRQ RFFXUV *HW PHGLFDO DGylfH DWWHQWLRQ
3	,I VNLQ LUULWDWLRQ RU UDVK RFFXUV *HW PHGLFDO DGylfH DWWHQWLRQ
3	,I H\H LUULWDWLRQ SHUVLVWV *HW PHGLFDO DGylfH DWWHQWLRQ
3	7DNH RII FRQWDPLQDWHG FORWKLQJ DQG ZDVK EHIRUH UHXVH
3	:DVK FRQWDPLQDWHG FORWKLQJ EHIRUH UHXVH
3	,Q FDVH RI ILUH 8VH FDUERQ GLR[LGH GU\ FKHP LFDO IRDP IRU H[V
3	&ROOHFW VSLOODJH
3	6WRUH LQ D ZHOO YHQWLODWHG SODFH .HHS FRRO
3	6WRUH ORFNHG XS
3	'LVSRVH RI FRQWHQWV FRQWDLQHU WR DSSURYHG GLVSRVDO VLWH
6NLQ ,UULW	6NLQ &RUURVLRQ ,UULWDWLRQ &DWHJRU\
6NLQ ,UULW	6NLQ &RUURVLRQ ,UULWDWLRQ &DWHJRU\
6NLQ 6HQV \$	6HQVLWLJDWLRQ 6NLQ &DWHJRU\ \$
6NLQ 6HQV %	6HQVLWLJDWLRQ 6NLQ &DWHJRU\ %

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.